


Virtual MathPsych/ICCM 2024 mathpsych.org June 2024

# Simulation Studies for Methodological Research in Psychology

Björn Siepe ~ University of Marburg

## Simulation studies

## **Simulation studies**



A simulation study of the number of events per variable in logistic regression analysis P Peduzzi, J.Concato, E Kemper, TR Holford Journal of clinical, 1996 - Elsevier	Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus new alternatives L Hu, PM Bentler - Structural equation modeling: a, 1999 - Taylor & Francis
Petuzzi, <u>volntau</u> , e Reinjer, in Romon sourna or uninca, <u>Jaso - Esever</u> in a simulation study of forward stepwise multiple linear regression, Freedman and Pee [3] demonstrated that the in simulation studies of the effect of EPV on proportional Peter <b>Peduzzi x</b> Save 99 Cite Cited by 8827 Related articles All 9 versions	This article examines the adequacy of the "rules of thumb" conventional cutoff criteria and several new alternatives for various fit indexes used to evaluate model fit in practice. Using a 2 ☆ Save 59 Cite Cited by 116305 Related articles All 9 versions

## Collinearity: a review of methods to deal with it and a **simulation study** evaluating their performance

CF Dormann, J Elith, S Bacher, C Buchmann ... - ..., 2013 - Wiley Online Library

 $\dots$  In the fourth part we carry out a large **simulation study** to compare all reviewed methods. We provide complementary case studies on real data in Supplementary material Appendix 1.2.  $\dots$ 

☆ Save 奶 Cite Cited by 8455 Related articles All 30 versions

Deciding on the number of classes in latent class analysis and growth mixture modeling: A Monte Carlo **simulation study** 

KL Nylund, T Asparouhov... - ... equation modeling: A ..., 2007 - Taylor & Francis

... This article presents the results of a simulation study that examines the performance of

likelihood-based tests and the traditionally used Information Criterion (ICs) used for determining ...

☆ Save 奶 Cite Cited by 10707 Related articles All 14 versions

"... extensive simulation studies show that the proposed method performs on par or **better than existing methods** ..." "... extensive simulation studies show that the proposed method performs on par or **better than existing methods** ..."

• Over-Optimism (e.g., Ullmann et al., 2022)

"... extensive simulation studies show that the proposed method performs on par or **better than existing methods** ..."

- Over-Optimism (e.g., Ullmann et al., 2022)
- Insufficient reporting standards (e.g., Hoaglin and Andrews, 1975)

"... extensive simulation studies show that the proposed method performs on par or **better than existing methods**..."

- Over-Optimism (e.g., Ullmann et al., 2022)
- Insufficient reporting standards (e.g., Hoaglin and Andrews, 1975)
- Little assessment of reproducibility (e.g., Luijken et al., 2023)

"... extensive simulation studies show that the proposed method performs on par or **better than existing methods**..."


- Over-Optimism (e.g., Ullmann et al., 2022)
- Insufficient reporting standards (e.g., Hoaglin and Andrews, 1975)
- Little assessment of reproducibility (e.g., Luijken et al., 2023)



xkcd.com (CC-BY-NC)


"In fact it is very difficult to run an honest simulation comparison, and easy to inadvertently cheat by choosing favorable examples, or by not putting as much effort into optimizing the dull old standard as the exciting new challenger."

Brad Efron (2001)




https://statistics.stanford.edu/people/bradley-efron

## **Questionable research practices in simulation studies**



## **Questionable research practices in simulation studies**



## **Questionable research practices in simulation studies**

```
  Biometrical Journal

  Pitfalls and potentials in simulation studies: Questionable

  research practices in comparative simulation studies allow

  for spurious claims of superiority of any method

  Samuel Pawel I
  Lucas Kook I
```

"By deliberately using several QRPs, we were able to present a method with no expected benefits [...] as an improvement over [...] wellestablished competitors."

#### The Reporting of Computation-Based Results in Statistics

DAVID C. HOAGLIN\* and DAVID F. ANDREWS\*\*

STATISTICS IN MEDICINE Statist. Med. 2006; 25:4279-4292 Published online 31 August 2006 in Wiley InterScience (www.interscience.wiley.com) DOI: 10.1002/sim.2673

The design of simulation studies in medical statistics

Andrea Burton1, 2, \*, †, Douglas G. Altman1, Patrick Royston1, 3 and Roger L. Holder4

TUTORIAL IN BIOSTATISTICS

WILEY Statistics

Using simulation studies to evaluate statistical methods

Tim P. Morris<sup>1</sup> | Ian R. White<sup>1</sup> | Michael J. Crowther<sup>2</sup>

## This project:

The Reporting of Computation-	Based Results in Statistics	
	DAVID C. HOAGLIN* and DAVID F. ANDREWS**	
STATISTICS IN MEDICINE		
Statist. Med. 2006; 25:4279-4292		
Published online 31 August 2006 in Wiley InterScience	e	
(www.interscience.wiley.com) DOI: 10.1002/sim.2673		
The design of simulation studies in medical statistics Andrea Burton <sup>1, 2, *,†</sup> , Douglas G. Altman <sup>1</sup> , Patrick Royston <sup>1,3</sup> and Roger L. Holder <sup>4</sup>		
TUTORIAL IN BIOSTATISTICS	WILEY Statistics	
Using simulation studies to evaluate statistical methods		

The Reporting of Computation-Based Results in Statistics		
	DAVID C. HOAGLIN* and DAVID F. ANDREWS**	
STATISTICS IN MEDICINE		
Statist. Med. 2006; 25:4279-4292		
Published online 31 August 2006 in Wiley InterScience		
(www.interscience.wiley.com) DOI: 10.1002/sim.2673		
The design of simulation studies in medical statistics Andrea Burton <sup>1, 2, *,†</sup> , Douglas G. Altman <sup>1</sup> , Patrick Royston <sup>1,3</sup> and Roger L. Holder <sup>4</sup>		
TUTORIAL IN BIOSTATISTICS	WILEY Statistics in Medicine	
Using simulation studies to evaluate statistical methods		
Tim P. Morris <sup>1</sup>   Ian R. White <sup>1</sup>   Michael J. Crowther <sup>2</sup>		


## This project:

Review of 100 simulation studies in
psychology

The Reporting of Computation-Based Results in Statistics		
	DAVID C. HOAGLIN* and DAVID F. ANDREWS**	
STATISTICS IN MEDICINE		
Statist. Med. 2006; 25:4279-4292		
Published online 31 August 2006 in Wiley InterScien	ice	
(www.interscience.wiley.com) DOI: 10.1002/sim.2673		
The design of simulation studies in medical statistics Andrea Burton <sup>1, 2, *,†</sup> , Douglas G. Altman <sup>1</sup> , Patrick Royston <sup>1,3</sup> and Roger L. Holder <sup>4</sup>		
TUTORIAL IN BIOSTATISTICS	WILEY Statistics in Medicine	
Using simulation studies to evaluate statistical methods		
Tim P. Morris <sup>1</sup> ⊙ ∣ Ian R. White <sup>1</sup> ⊙ ∣ Michael J. Crowther <sup>2</sup> ⊙		

## This project:

- Review of 100 simulation studies in psychology
- Psychological Methods, Behavior Research Methods, Multivariate Behavioral Research




## This project:

- Review of 100 simulation studies in psychology
- Psychological Methods, Behavior Research Methods, Multivariate Behavioral Research
- Coding of various aspects of reporting

## Main Results

## **Main Results**



7

## The ADEMP-PreReg template

## ADEMP-PreReg Template for Simulation Studies

Version: 0.1.0 Last updated: 2023-10-31 Preregistration template designed by Björn S. Siepe, František Bartoš, Tim P. Morris, Anne-Laure Boulesteix, Daniel W. Heck, and Samuel Pawel

## **The ADEMP-PreReg template**

## ADEMP-PreReg Template for Simulation Studies

Version: 0.1.0 Last updated: 2023-10-31 Preregistration template designed by Björn S. Siepe, František Bartoš, Tim P. Morris, Anne-Laure Boulesteix, Daniel W. Heck, and Samuel Pawel

 Protocol template based on ADEMP structure (Morris et al., 2019) + open science + reproducibility aspects

## ADEMP-PreReg Template for Simulation Studies

Version: 0.1.0 Last updated: 2023-10-31 Preregistration template designed by Björn S. Siepe, František Bartoš, Tim P. Morris, Anne-Laure Boulesteix, Daniel W. Heck, and Samuel Pawel

- Protocol template based on ADEMP structure (Morris et al., 2019) + open science + reproducibility aspects
- Different versions: LETEX, Overleaf, MS/Libre office, Google docs

## ADEMP-PreReg Template for Simulation Studies

Version: 0.1.0 Last updated: 2023-10-31 Preregistration template designed by Björn S. Siepe, František Bartoš, Tim P. Morris, Anne-Laure Boulesteix, Daniel W. Heck, and Samuel Pawel

- Protocol template based on ADEMP structure (Morris et al., 2019) + open science + reproducibility aspects
- Different versions: ETEX, Overleaf, MS/Libre office, Google docs
- Living document: https://github.com/bsiepe/ADEMP-PreReg

ADEMP: doi.org/10.1214/ss/1009213726, ADEMP-PreReg: doi.org/10.31234/osf.io/ufgy6

- 1. Instructions
- 2. General information
- 3. Aims
- 4. Data-generating mechanism
- 5. Estimands and targets
- 6. Methods
- 7. Performance Measures
- 8. Computational details

## 1. Instructions

- 2. General information
- 3. Aims
- 4. Data-generating mechanism
- 5. Estimands and targets
- 6. Methods
- 7. Performance Measures
- 8. Computational details

#### 7 Performance Measures

#### 7.1 Which performance measures will be used?

Explanation: Please provide details on why they were chosen and on how these measures will be calculated. Ideally, provide formulas for the performance measures to avoid ambiguity. Some models in psychology, such as item response theory or times series models, often contain multiple parameters of interest, and their number may vary across conditions. With a large number of estimated parameters, their performance measures are often combined. If multiple estimates are aggregated, specify how this aggregation will be performed. For example, if there are multiple parameters

in a particular condition, the mean of the individual biases of these parameters or the bias of each individual parameter may be reported.

#### Example

Our primary performance measures are the type I error rate (in conditions where the true effect is zero) and the power (in conditions where the true effect is nonzero) to reject the null hypothesis of no difference between the control and treatment condition. The null hypothesis is rejected if the *p*-value for the null hypothesis of no effect is less than or equal to the conventional threshold of 0.05. The rejection rate (the type I error rate or the power, depending on the data generating mechanism) is estimated by

$$\widehat{\text{Rate}} = \frac{\sum_{i=1}^{n_{\text{sim}}} 1(p_i \le 0.05)}{n_{\text{sim}}}$$

where 1( $\rho_i \leq 0.05$ ) is the indicator of whether the *p*-value in simulation *i* is equal to or less than 0.05. We use the following formula to compute the MCSE of the rejection rate

$$MCSE_{RRate} = \sqrt{\frac{RRate(1 - RRate)}{n_{sim}}}$$

## The ADEMP-PreReg template

**Purposes** 

• Planning of simulation studies

- Planning of simulation studies
- Preregistration

- Planning of simulation studies
- Preregistration
- Blueprint for reporting

- Planning of simulation studies
- Preregistration
- Blueprint for reporting
- Reviewing of simulation studies

## Limitations

- Planning of simulation studies
- Preregistration
- Blueprint for reporting
- Reviewing of simulation studies

## Limitations

• Preregistration could be **faked** 

## The ADEMP-PreReg template

## **Purposes**

- Planning of simulation studies
- Preregistration
- Blueprint for reporting
- Reviewing of simulation studies

## Limitations

- Preregistration could be **faked**
- May slow down exploratory research



doi:10.5281/zenodo.7994221

Simulation Studies for Methodological Research in Psychology:

A Standardized Template for Planning, Preregistration, and Reporting

Björn S. Siepe<sup>\*1</sup>, František Bartoš<sup>\*2</sup>, Tim P. Morris<sup>3</sup>, Anne-Laure Boulesteix<sup>4</sup>, Daniel W. Heck<sup>1</sup>, and Samuel Pawel<sup>\*5</sup> \* contributed equally

Simulation Studies for Methodological Research in Psychology: A Standardized Template for Planning, Preregistration, and Reporting Björn S. Siepe<sup>\*1</sup>, František Bartoš<sup>\*2</sup>, Tim P. Morris<sup>3</sup>, Anne-Laure Boulesteix<sup>4</sup>, Daniel W. Heck<sup>1</sup>, and Samuel Pawel<sup>\*5</sup> \* contributed equally

• Simulation studies can have big impact, should be conducted carefully

Simulation Studies for Methodological Research in Psychology: A Standardized Template for Planning, Preregistration, and Reporting Björn S. Siepe<sup>\*1</sup>, František Bartoš<sup>\*2</sup>, Tim P. Morris<sup>3</sup>, Anne-Laure Boulesteix<sup>4</sup>, Daniel W. Heck<sup>1</sup>, and Samuel Pawel<sup>\*5</sup> \* contributed equally

- Simulation studies can have big impact, should be conducted carefully
- Protocols can make simulation studies more reliable

Simulation Studies for Methodological Research in Psychology: A Standardized Template for Planning, Preregistration, and Reporting Björn S. Siepe<sup>\*1</sup>, František Bartoš<sup>\*2</sup>, Tim P. Morris<sup>3</sup>, Anne-Laure Boulesteix<sup>4</sup>, Daniel W. Heck<sup>1</sup>, and Samuel Pawel<sup>\*5</sup> \* contributed equally

- Simulation studies can have big impact, should be conducted carefully
- Protocols can make simulation studies more reliable
- **ADEMP-PreReg template** helps in preregistration, planning, reporting, reviewing of simulation studies

## **References i**

- Breiman, L. (2001). Statistical modeling: The two cultures (with comments and a rejoinder by the author). *Statistical Science*, 16(3):199–231. doi:10.1214/ss/1009213726.
- Burton, A., Altman, D. G., Royston, P., and Holder, R. L. (2006). The design of simulation studies in medical statistics. *Statistics in Medicine*, 25(24):4279–4292. doi:10.1002/sim.2673.
- Hoaglin, D. C. and Andrews, D. F. (1975). The reporting of computation-based results in statistics. *The American Statistician*, 29(3):122–126. doi:10.1080/00031305.1975.10477393.
- Luijken, K., Lohmann, A., Alter, U., Gonzalez, J. C., Clouth, F. J., Fossum, J. L., Hesen, L., Huizing, A. H. J., Ketelaar, J., Montoya, A. K., Nab, L., Nijman, R. C. C., de Vries, B. B. L. P., Tibbe, T. D., Wang, Y. A., and Groenwold, R. H. H. (2023). Replicability of simulation studies for the investigation of statistical methods: The replisims project. doi:10.48550/ARXIV.2307.02052. arXiv preprint.
- Morris, T. P., White, I. R., and Crowther, M. J. (2019). Using simulation studies to evaluate statistical methods. *Statistics in Medicine*, 38(11):2074–2102. doi:10.1002/sim.8086.
- Pawel, S., Kook, L., and Reeve, K. (2023). Pitfalls and potentials in simulation studies: Questionable research practices in comparative simulation studies allow for spurious claims of superiority of any method. *Biometrical Journal*, (e2200091):1–19. doi:10.1002/bimj.202200091.

- Siepe, B. S., Bartoš, F., Morris, T. P., Boulesteix, A.-L., Heck, D. W., and Pawel, S. (2023). Simulation studies for methodological research in psychology: A standardized template for planning, preregistration, and reporting. doi:10.31234/osf.io/ufgy6.
- Ullmann, T., Beer, A., Hünemörder, M., Seidl, T., and Boulesteix, A.-L. (2022). Over-optimistic evaluation and reporting of novel cluster algorithms: An illustrative study. *Advances in Data Analysis and Classification*. doi:10.1007/s11634-022-00496-5. Advance online publication.